

FOOTHILL CARE CENTER, LLC - APACHE JUNCTION

- 1. Introduction 2**
- 2. Authority to Construct..... 2**
- 3. Emission Limitations and Controls 2**
 - A. Applicable Limitations..... 2
 - B. Allowable Emissions..... 2
 - C. Fuel Use Limitations 2
 - D. Particulate Emissions - Opacity Limits 2
 - 1. SIP Limitation..... 2
 - 2. Visibility Limiting Standard 3
 - E. Particulate Matter Reasonable Precautions 3
 - F. Surface Stabilization 3
 - G. General Maintenance Obligation 4
- 4. Compliance Demonstration 4**
 - A. Regular Emissions Monitoring/Recordkeeping 4
 - B. Compliance Reporting 4
 - C. Annual Regular Compliance/Compliance Progress Certification 4
- 5. Other Reporting Obligations..... 4**
 - A. Deviations from Permit Requirements 4
- 6. Fee Payment 4**
- 7. General Conditions 4**
 - A. Term..... 5
 - B. Basic Obligation..... 5
 - C. Duty to Supplement Application..... 5
 - D. Right to Enter 5
 - E. Transfer of Ownership 5
 - F. Posting of Permit..... 5
 - G. Permit Revocation for Cause 5
 - H. Permit Expiration and Renewal 6
 - I. Severability 6
 - J. Permit Shield..... 6
 - K. Permit Revisions 6
 - L. Permit Re-opening 6
 - M. Record Retention 7
 - N. Scope of License Conferred 7
 - O. Excess Emission Reports; Emergency Provision 7
- 8. Equipment..... 8**
 - A. Emission Units 8
 - B. Insignificant Activities 9
- 9. Emission Inventory Table..... 9**

1. Introduction

This permit pertains to a skilled nursing and rehabilitation facility, operated by Foothill Care Center, LLC. The SIC Code is 8051 and the NAICS code is 623110. The facility, also known as Apache Junction Health Center, is located at 2012 West Southern Avenue, Apache Junction, Arizona, upon a parcel also identified by Pinal County Assessor's Parcel # 102-11-006A. The source is situated in an area classified as non-attainment for ozone.

The source includes fuel burning equipment operated on natural gas and a 75 kW (100 HP) diesel driven emergency generator. A complete list of equipment from which emissions are allowed by this permit is given in Section 7 of this permit. As an informational disclosure, emissions listed in the last section of this permit entitled "Emission Inventory Table" constitute good-faith estimates of emissions subject to regulation, as set forth in the application for permit.

Even based upon continuous operation at full capacity, the cumulative potential to emit any single pollutant or combination of pollutants does not exceed any of the applicable major source thresholds under the Clean Air Act (1990) ("CAA") or local rules. The source does not fall subject to any applicable requirements under CAA §111 or §112. Therefore, this source does not require an operating permit under Title V of the CAA.

2. Authority to Construct [*Federally enforceable - Code §§3-1-010, 3-1-040 (as amended 10/12/95) approved as a SIP Element at 65FR 79742 (12/20/00)*]

Emissions from this facility, specifically the equipment described in "Equipment Schedule" section below, and the operating configuration more fully described in the application for permit, already fall subject to the independent Federally Enforceable limitations identified elsewhere in this permit. Therefore, based on the regulations in effect upon the date of issuance of this permit and a finding that allowable emissions from the equipment described in the Equipment Schedule will neither cause nor contribute to a violation of any ambient air quality standard even without any additional limitations, and a further finding that this does not constitute a "major source" within the meaning of Code §3-3-203, this permit constitutes authority to construct and operate such equipment.

3. Emission Limitations and Controls

A. Applicable Limitations [*Federally enforceable pursuant to PCAQCD Code § 3-1-082 (11/3/93) approved as SIP Element at 65 FR 79742 (12/20/00)*]

Where different standards or limitations apply under this permit, the most stringent combination shall prevail and be enforceable.

B. Allowable Emissions [*Federally enforceable pursuant to PCAQCD Code § 3-1-040 (10/12/95) approved as SIP Element at 65 FR 79742 (12/20/00)*]

The owner/operator ("Permittee") is authorized to discharge or cause to discharge into the atmosphere those emissions of air contaminants as set forth below. Permittee shall not use any material, process, or equipment not identified in the permit application which will cause emissions of any regulated air pollutant in excess of the 5.5 pound-per-day de minimis amount, unless authorized by a separate permit issued by the District.

C. Particulate Emissions - Opacity Limits

1. SIP Limitation [*Currently federally enforceable pursuant to PGAQCD Reg. 7-3-1.1 (6/16/80) approved as a SIP element at 47 FR 15579 (4/12/82)*] (Code §§2-8-300. and 4-2-040.)

The opacity of any plume or effluent shall not be greater than 40 percent as determined by Reference Method 9 in the Arizona Testing Manual (ADEQ, 1992). Nothing in this

limitation shall be interpreted to prevent the discharge or emission of uncontaminated aqueous steam, or uncombined water vapor, to the open air.

2. Visibility Limiting Standard [*Federally enforceable provision, pursuant to Code §2-8-300 (as amended 5/18/05) approved as a SIP element at 47 FR 15043 (3/27/06)*]

The opacity of any plume or effluent from any point source not subject to a New Source Performance Standard adopted under Chapter 6 of the Code, and not subject to an opacity standard in Chapter 5 of the Code, shall not be greater than 20% as determined in Method 9 in 40 CFR Part 60, Appendix A.

- D. Particulate Matter Reasonable Precautions [*Currently federally enforceable pursuant to Code §4-2-040 (6/29/93) approved as a SIP element at 72 FR 41896 (8/1/07) and PGAQD Reg. 7-3-1.2 (7/1/75) approved as a SIP element at 43 FR 53034 (11/15/78)*]

1. Permittee shall not cause, suffer, allow, or permit a building or its appurtenances, subdivision site, driveway, parking area, vacant lot or sales lot, or an urban or suburban open area to be constructed, used, altered, repaired, demolished, cleared, or leveled, or the earth to be moved or excavated, or fill dirt to be deposited, without taking reasonable precautions to effectively prevent fugitive dust from becoming airborne.
2. Permittee shall not cause, suffer, allow, or permit a vacant lot, or an urban or suburban open area, to be driven over or used by motor vehicles, such as but not limited to all-terrain vehicles, trucks, cars, cycles, bikes, or buggies, without taking reasonable precautions to effectively prevent fugitive dust from becoming airborne.
3. Permittee shall not disturb or remove soil or natural cover from any area without taking reasonable precautions to effectively prevent fugitive dust from becoming airborne.
4. Permittee shall not crush, screen, handle or convey materials or cause, suffer, allow or permit material to be stacked, piled or otherwise stored without taking reasonable precautions to effectively prevent fugitive dust from becoming airborne.
5. Stacking and reclaiming machinery utilized at storage piles shall be operated at all times with a minimum fall of material and in such a manner, or with the use of spray bars and wetting agents, as to prevent excessive amounts of particulate matter from becoming airborne. Other reasonable precautions shall be taken, as necessary, to effectively prevent fugitive dust from becoming airborne.
6. Permittee shall not cause, suffer, allow or permit transportation of materials likely to give rise to fugitive dust without taking reasonable precautions to prevent fugitive dust from becoming airborne. Earth and other material that is tracked out or transported by trucking and earth moving equipment on paved streets shall be removed by the party or person responsible for such deposits.

- ~~F. Surface Stabilization [*Currently federally enforceable pursuant to Code §4-4-120 thru §4-4-130 (6/3/09) approved as a SIP element at 75 FR 17307 (4/6/10)*]~~

- ~~1. Permittee shall restrict access to only those areas that have been dustproofed by paving, graveling, or dust suppressants/track out control.~~
- ~~2. Permittee shall maintain all unpaved commercial lots so that the silt loading shall not exceed 0.33 oz/ft² or the silt content shall not exceed 8%.~~
- ~~3. Permittee shall maintain all unpaved commercial lots so that the internal opacity of a plume caused by vehicular movement does not exceed 20% based on the intermittent opacity method listed in PCAQCD Code §4-9-340.~~

- ~~4. Permittee shall maintain all unpaved commercial lots so that the net opacity contribution shall not exceed 30 seconds of visible emission in any continuous six minute period based on the time aggregation method.~~
- ~~5. Permittee shall clean up all trackout onto a publically accessible paved area that exceeds 25 linear feet immediately and all trackout by the end of the day.~~
- ~~6. Permittee shall make a record of dustproofing and clean up actions taken.~~

E. **Surface Stabilization [*Federally enforceable pursuant to Code §4-1-010 (10/28/15) approved as a SIP element at 82 FR 20267 (5/1/17), Amended 1/25/23*]**

1. **Vehicle Use in Open Areas and Vacant Lots (Code §4-1-030.2)**

- a. Permittee shall not cause or allow visible emissions of particulate matter, including fugitive dust generated from the vehicle use in open areas and vacant lots beyond the property line within which the emissions are generated.
- b. Permittee shall stabilize the open areas and vacant lots on which vehicles are used to by complying with any one of the stabilization requirements listed in PCAQCD Code §4-1-030.2.A.
- c. Permittee shall apply appropriate control measures to the open areas and vacant lots on which vehicles are used as listed in PCAQCD Code §4-1-030.2.B.
- d. Permittee shall implement one or more of the control measures described in PCAQCD Code §4-1-030.2.B within 60 calendar days following the initial discovery by the Control Officer of any open areas and vacant lots that are 0.10 acre (4,356 square feet) or larger and having a cumulative of 500 square feet or more that are disturbed by being driven over and/or used by motor vehicles, by off road vehicles, or for material dumping.
- e. Permittee shall, within 30 calendar days following the initial discovery by the Control Officer of the disturbance or vehicle use on open areas and vacant lots, provide in writing to the Control Officer a description and date of the control measure(s) to be implemented to prevent such disturbance.
- f. Permittee shall implement all control measures necessary to limit the disturbance or vehicle uses on open areas and vacant lots in accordance with the requirements of PCAQCD Code §4-1-030.2.B. Control measure(s) shall be considered effectively implemented when the open areas and vacant lots meets the requirements described in PCAQCD Code §4-1-030.2.A.
- g. Use of or parking on open areas and vacant lots by the Permittee shall not be considered vehicles use in open areas and vacant lots.
- h. Establishing initial landscapes without the use of mechanized equipment or conducting landscape maintenance without the use of mechanized equipment shall not be considered vehicle use in open areas and vacant lots.

2. **Open Areas and Vacant Lots (Code §4-1-030.3)**

- a. Permittee shall not cause or allow visible emissions of particulate matter, including fugitive dust generated from the open areas and vacant lots beyond the property line within which the emissions are generated.

- b. Permittee shall stabilize the open areas and vacant lots by complying with any one of the stabilization requirements listed in PCAQCD Code §4-1-030.3.A.ii.
 - c. Permittee shall apply appropriate control measures to the disturbed open areas and vacant lots as listed in PCAQCD Code §4-1-030.3.B.
 - d. Permittee shall implement one or more of the control measures described in PCAQCD Code §4-1-030.3.B within 60 calendar days following the initial discovery by the Control Officer of any open areas and vacant lots that are 0.10 acre (4,356 square feet) or larger and having a cumulative of 500 square feet or more that are disturbed, and if such disturbed area remains unoccupied, unused, vacant, or undeveloped for more than 15 days.
 - e. Permittee shall, within 30 calendar days following the initial discovery by the Control Officer of the disturbance on the open areas and vacant lots, provide in writing to the Control Officer a description and date of the control measure(s) to be implemented to prevent such disturbance.
 - f. Permittee shall apply the control measures listed in PCAQCD Code §4-1-030.5.A if machinery is used to clear weeds and/or trash from open areas and vacant lots of 5,000 square feet or larger.
3. Unpaved Parking Lots (Code §4-1-030.4)
- a. Permittee shall not cause or allow visible emissions of particulate matter, including fugitive dust generated from the unpaved parking lots beyond the property line within which the emissions are generated.
 - b. Permittee shall apply appropriate control measures to the disturbed unpaved parking lots as listed in PCAQCD Code §4-1-030.4.B.
 - c. Permittee shall repair and/or replace the control measures listed in PCAQCD Code §4-1-030.4.B, and shall clean-up immediately any trackout from areas accessible to the public including curbs, gutters and sidewalks when trackout extends a cumulative distance of 25 linear feet or more and at the end of the day for all other trackout.
4. Paved Public Roadway (Code §4-1-030.7)
- a. Permittee upon discovery of the mud/dirt on its property due to the trackout or erosion-caused deposition that extends 25 feet or more from the nearest unpaved surface exit onto the paved public roadway shall apply any one of the control measures listed in PCAQCD §4-1-030.7.A.i.
 - b. Permittee shall remove the mud/dirt in a manner that does not cause another source of fugitive dust.
 - c. In the event unsafe travel conditions would result from restricting traffic and removal of such material is not possible within 72 hours due to a weekend or holiday condition, the provisions of PCAQCD Code §4-1-030.7.A.i can be extended upon notification to and approval by the Control Officer.
 - d. Permittee who is the owner and/or operator of any existing paved public roadways shall apply in sufficient quantity a dust suppressants to the total surface area subject to the disturbance and prevent track by applying any one of the control measures listed in PCAQCD §4-1-030.7.A.i, prior to, during and after work on unpaved road shoulders.

- e. Permittee who is the owner and/or operator having jurisdiction over, or ownership of, public or private paved roads shall construct, or require to be constructed, all new or modified paved roads in conformance with the road shoulder width and drivable median stabilization as required in PCAQCD Code §4-1-030.7.D.
- f. Unpaved shoulders and medians of paved roads shall be considered to have control measures effectively implemented when fugitive dust emissions do not exceed 20% opacity and silt loading does not equal or exceed 0.33 oz/ft² as determined in PCAQCD Code §4-9-310 except for unpaved shoulders on which gravel has been applied. Where gravel is utilized to prevent trackout from unpaved shoulders and medians of paved roads, surface gravel shall be uniformly applied and maintained to a depth of two (2) inches to comply with the 20% opacity standards, the gravel depth and silt content test methods in PCAQCD Code §4-9-310.
- g. Permittee who is the owner and/or operator having jurisdiction over, or ownership of, existing public or private paved roads which do not conform with the requirements of PCAQCD Code §4-1-030.7.D shall reconstruct, or require to be reconstructed, the existing nonconforming paved road within 365 calendar days following the initial discovery that the road fails to meet the requirements. The control officer may require short-term stabilization of any paved road subject to the requirements set forth in PCAQCD Codes §§4-1-030.7.D and 4-1-030.7.E

5. Recordkeeping (Codes §§4-1-040 and 4-1-050)

Permittee, if subject to the above requirements, shall compile and retain records that provide evidence of control measure application including records of receipts/purchase, street sweeping, water applications, maintenance of trackout control devices, gravel pads, fences, wind barriers, tarps, type of treatment/control measure application, extent of coverage, and date applied. The supporting documentation shall be provided as soon as possible but no later than 48 hours upon a verbal or written request by the Control Officer, excluding weekends. If the Control Officer is at the site where requested records are kept, the records shall be provided without delay. Copies of such records shall be retained for at least two years.

F. Fuel Use Limitations (Code §§3-1-081.G)

1. Primary Fuel

The Permittee is only allowed to burn only natural gas in the water heaters, dryers, HVAC and oven and diesel fuel in the generator.

2. Other Fuels

The Permittee shall not use used oil, used oil fuel, hazardous waste, and hazardous waste fuel as defined in Codes §§3-1-081.G and 5-23-1010.F without first obtaining a separate permit or an appropriate permit revision.

G. General Maintenance Obligation [*Federally Enforceable Provision pursuant to code §3-1-081.E (9/5/01) approved as a SIP element at 66 FR 63166 (12/5/01)*]

At all times, including periods of start-up, shutdown, and malfunction, owners and operators shall, to the extent practicable, maintain and operate the permitted facility including associated air

pollution control equipment in a manner consistent with good air pollution control practice for minimizing emissions.

4. Compliance Demonstration

A. Regular Emissions Monitoring (Code §3-1-083.A)

1. *Non-instrumental Emissions Monitoring - Nitrogen Oxides [Federally enforceable provision, pursuant to Code §3-1-084 (8/11/94)]*

As a surrogate means of monitoring emissions of oxides of nitrogen, Permittee shall maintain monthly records of natural gas purchased (therms from bills).

B. Recordkeeping (Code §3-1-083)

Permittee shall maintain records of:

1. *All information required pursuant to any provision of this permit, recorded in a permanent form suitable for inspection.*
2. *The occurrence and duration of any start-up, shutdown or malfunction in the operation of the permitted facility or any air pollution control equipment.*

C. Compliance Reporting (Code §3-1-083.A)

In order to demonstrate compliance with the provisions of this permit, the Permittee shall submit an annual report containing a summary of the information required to be recorded pursuant to this permit, which summary shall clearly show that Permittee has complied with the operational and emissions limitations under this permit. The report shall be submitted to the District within 30 days after the end of the calendar year. Appendix A is a form which may be used for this report.

D. Annual Regular Compliance/Compliance Progress Certification (Code §3-1-083.A., 11/3/93)

Permittee shall annually submit a certification of compliance with the provisions of this permit. The certification shall:

1. Be signed by a responsible official, namely the proprietor, a general partner, the president, secretary, treasurer or vice-president of the corporation, or such other person as may be approved by the Control Officer as an administrative amendment to this permit;
2. ~~Clearly tabulate by month the natural gas usage required to be monitored under this permit; and~~
2. *Identify each term or condition of the permit that is the basis of the certification;*
3. *Verify the compliance status with respect to each such term or condition;*
4. *Verify whether compliance with respect to each such term or condition has been continuous or intermittent;*
5. *Identify the permit provision, or other, compliance mechanism upon which the certification is based; and*
6. Be postmarked within thirty (30) days of the start of each calendar year.

5. Other Reporting Obligations

- A. Deviations from Permit Requirements [*Federally Enforceable Provision pursuant to code §3-1-081.A.5.b (9/5/01) approved as a SIP element at 66 FR 63166 (12/5/01)*] (~~Code §3-1-81.A.5.b~~)

Permittee shall report any deviation from the requirements of this permit along with the probable cause for such deviation, and any corrective actions or preventative measures taken to the District within ten days of the deviation unless earlier notification is required by the provisions of this permit.

6. Fee Payment

As an essential term of this permit, an annual permit fee shall be assessed by the District and paid by Permittee in accord with the provisions of Code Chapter 3, Article 7 generally, and Code §3-1-081.A.9 specifically. The annual permit fee shall be due on or before the anniversary date of the issuance of an individual permit, or formal grant of approval to operate under a general permit. The District will notify the Permittee of the amount to be due, as well as the specific date on which the fee is due.

7. General Conditions

- A. Term (Code §3-1-089)

This permit shall have a term of five (5) years, measured from the date of issuance.

- B. Basic Obligation (Code §3-1-081.)

1. Permittee shall operate in compliance with all conditions of this permit, the Pinal County Air Quality Control District ("the District") Code of Regulations ("Code"), and all State and Federal laws, statutes, and codes relating to air quality that apply to these facilities. Any permit noncompliance is grounds for enforcement action; for a permit termination, revocation and reissuance, or revision; or for denial of a permit renewal application and may additionally constitute a violation of the CAA.
2. All equipment, facilities, and systems used to achieve compliance with the terms and conditions of this permit shall at all times be maintained and operated in good working order.

- C. Duty to Supplement Application (Code §§3-1-050.H, 3-1-081.A.8.e, 3-1-110)

Even after the issuance of this permit, a Permittee, who as an applicant who failed to include all relevant facts, or who submitted incorrect information in an application, shall, upon becoming aware of such failure or incorrect submittal, promptly submit a supplement to the application, correcting such failure or incorrect submittal. In addition, Permittee shall furnish to the District within thirty days any information that the Control Officer may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit or to determine compliance with this permit and/or the Code.

- D. Right to Enter (Code §§ 3-1-132, 8-1-050)

Authorized representatives of the District shall, upon presentation of proper credentials, be allowed:

1. To enter upon the premises where the source is located or in which any records are required to be kept under the terms and conditions of this permit;
2. To inspect any equipment, operation, or method required in this permit; and
3. To sample emissions from the source.

E. Transfer of Ownership (Code §3-1-090)

This permit may be transferred from one person to another by notifying the District at least 30 days in advance of the transfer. The notice shall contain all the information and items required by Code § 3-1-090. The transfer may take place if not denied by the District within 10 days of the receipt of the transfer notification.

F. Posting of Permit (Code §3-1-100)

Permittee shall firmly affix the permit, an approved facsimile of the permit, or other approved identification bearing the permit number, upon such building, structure, facility or installation for which the permit was issued. In the event that such building, structure, facility or installation is so constructed or operated that the permit cannot be so placed, the permit shall be mounted so as to be clearly visible in an accessible place within a reasonable distance of the equipment or maintained readily available at all times on the operating premises.

G. Permit Revocation for Cause (Code §3-1-140)

The Director of the District ("Director") may revoke this permit for cause, which cause shall include occurrence of any of the following:

1. The Director has reasonable cause to believe that the permit was obtained by fraud or material misrepresentation;
2. Permittee failed to disclose a material fact required by the permit application form or a regulation applicable to the permit;
3. The terms and conditions of the permit have been or are being violated.

H. Permit Expiration and Renewal (Code §3-1-089)

Expiration of this permit will terminate the facility's right to operate unless either a timely application for renewal has been submitted in accordance with §§3-1-050, 3-1-055 and 3-1-060, or a substitute application for a general permit under §3-5-490. For Class I permit renewals, a timely application is one that is submitted at least 6 months, but not greater than 18 months prior to the date of the permit expiration. For Class II or Class III permit renewals, a timely application is one that is submitted at least 3 months, but not greater than 12 months prior to the date of permit expiration.

I. Severability (Code §3-1-081.A.7)

The provisions of this permit are severable, and if any provision of this permit is held invalid the remainder of this permit shall not be affected thereby.

J. Permit Shield (Code § 3-1-102.)

1. Compliance with the terms of this permit shall be deemed compliance with any applicable requirement identified in this permit.
2. It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit.

K. Permit Revisions (Code Chapter 3, Article 2)

1. This permit may be revised, reopened, revoked and reissued, or terminated for cause. The filing of a request by the permittee for a permit revision, revocation and reissuance, or

termination, or of a notification of planned changes or anticipated noncompliance does not stay any permit condition.

2. The permittee shall furnish to the Control Officer, within a reasonable time, any information that the Control officer may request in writing to determine whether cause exists for revising, revoking and reissuing, or terminating the permit or to determine compliance with the permit.
3. Permit amendments, permit revisions, and changes made without a permit revision shall conform to the requirements in Article 2, Chapter 3, of the Code.
4. Should this source become subject to a standard promulgated by the Administrator pursuant to CAA §112(d), then Permittee shall, within twelve months of the date on which the standard is promulgated, submit an application for a permit revision demonstrating how the source will comply with the standard. (Code §3-1-050.C.5)

L. Permit Re-opening (Code §3-1-087.)

1. This permit shall be reopened if either:
 - a. The Control Officer determines that it contains a material mistake or that inaccurate statements were made in establishing the emissions standards or other terms or conditions of it; or
 - b. The Control Officer determines that it needs to be revised or revoked to assure compliance with the applicable requirements.
2. If this permit must be reopened or revised, the District will notify the permittee in accord with Code §3-1-087.A.3.

M. Record Retention (Code §3-1-083.A.2.b)

Permittee shall retain for a period of five (5) years all documents required under this permit, including reports, monitoring data, support information, calibration and maintenance records, and all original recordings or physical records of required continuous monitoring instrumentation.

N. Scope of License Conferred (Code §3-1-081.)

This permit does not convey any property rights of any sort, or any exclusive privilege.

O. Excess Emission Reports; Emergency Provision (Code §3-1-081.E, Code §8-1-030)

1. To the extent Permittee may wish to offer a showing in mitigation of any potential penalty, underlying upset events resulting in excess emissions shall reported as follows:
 - a. The permittee shall report to the Control Officer any emissions in excess of the limits established by this permit. Such report shall be in two parts:
 - i. Notifications by telephone or facsimile within 24 hours or the next business day, whichever is later, of the time when the owner or operator first learned of the occurrence of excess emissions, including all available information required under subparagraph b. below.
 - ii. Detailed written notification within 3 working days of the initial occurrence containing the information required under subparagraph b. below.
 - b. The excess emissions report shall contain the following information:

- i. The identity of each stack or other emission point where the excess emissions occurred.
 - ii. The magnitude of the excess emissions expressed in the units of the applicable limitation.
 - iii. The time and duration or expected duration of the excess emissions.
 - iv. The identity of the equipment from which the excess emissions occurred.
 - v. The nature and cause of such emissions.
 - vi. If the excess emissions were the result of a malfunction, steps taken to remedy the malfunction and the steps taken or planned to prevent the recurrence of such malfunctions.
 - vii. The steps that were or are being taken to limit the excess emissions. To the extent this permit defines procedures governing operations during periods of start-up or malfunction, the report shall contain a list of steps taken to comply with this permit.
 - viii. To the extent excess emissions are continuous or recurring, the initial notification shall include an estimate of the time the excess emissions will continue. Continued excess emissions beyond the estimated date will require an additional notification.
2. An "emergency" means any situation arising from sudden and reasonably unforeseeable events beyond the control of the source, including acts of God, which situation requires immediate corrective action to restore normal operation, and that causes the source to exceed a technology-based emission limitation under the permit, due to unavoidable increases in emissions attributable to the emergency. An emergency shall not include noncompliance to the extent caused by improperly designed equipment, lack of preventative maintenance, careless or improper operation, or operator error.
 3. An emergency constitutes an affirmative defense to an action brought for noncompliance with such technology-based emission limitations if the conditions of the following subparagraph are met.
 4. The affirmative defense of emergency shall be demonstrated through properly signed, contemporaneous operating logs, or other relevant evidence that:
 - a. An emergency occurred and that the permittee can identify the cause(s) of the emergency;
 - b. The permitted facility was at the time being properly operated;
 - c. During the period of emergency the permittee took all reasonable steps to minimize levels of emissions that exceeded the emissions standards or other requirements in the permit; and
 - d. The permittee submitted notice of the emergency to the Control Officer by certified mail or hand delivery within 2 working days of the time when emissions limitations were exceeded due to emergency. The notice shall contain a description of the emergency, any steps taken to mitigate emissions, and corrective action taken.

8. Equipment (Code §3-1-050.B)

Equipment for which emissions are allowed by this permit are as follows:

A. Emission Units

1. Water Heaters (Total ~~1,848,100~~ **1,848,000** btu/hr)
 - a. 1 - AO Smith, 96 gallons, 75,000 btu/hr
 - b. 1 - AO Smith, 85 gallons, 365,000 btu/hr
 - c. 1 - AO Smith, 85 gallons, 365,000 btu/hr
 - d. 1 - AO Smith, 98 gallons, **75,000** btu/hr
 - e. 1 - AO Smith, 100 gallons, 390,000 btu/hr
 - f. 1 - AO Smith, 100 gallons, 199,000 btu/hr
 - g. 1 - AO Smith, 81 gallons, 180,000 btu/hr
 - h. 1 - American, 80 gallons, 199,000 btu/hr
2. Dryers (Total 1,050,000 btu/hr)
 - a. 3 - Cissell, 250,000 btu/hr each
 - b. 1 - Unimac, 300,000 btu/hr
3. HVAC (Total 960,000 btu/hr)
 - a. 3 - Carrier, 120,000 btu/hr each
 - b. 2 - Carrier, 120,000 btu/hr each
 - c. 3 - Carrier, 50,000 btu/hr each
 - d. 1 - Daikin, 210,000 btu/hr
4. 1 - Wolf Stove/Oven, 17,500 btu/hr

B. Insignificant ~~Unit~~ **Activities**

1. Katolight 75 KW Diesel-fueled **Emergency** Generator

9. Emission Inventory Table

ID	Source	Pollutants	Emission Rate (Tons/Yr)
1	Fuel Burning Equipment	Nitrogen Oxides (NO _x)	1.7
		Carbon Monoxide (CO)	1.4
		Particulate Matter (PM10)	0.1
		Sulfur Oxides (SO_x)	< 0.1
		Volatile Organic Compounds (VOCs)	0.1

Appendix A

Annual Report

Permit ~~S10117.000~~ S10131.000

Abstract

This constitutes an annual report, documenting emissions and use of emission-generating materials during the subject reporting period.

Facility - Foothill Care Center, LLC
Apache Junction Health Center
2012 West Southern Avenue, Apache Junction, AZ

Reporting Period - January 1 to December 31 Year _____

Fuel Report

Natural gas purchased - _____ therms (from bills)

Certification by Responsible Official

I certify that, based on information and belief formed after reasonable inquiry, that the statements and information in this report are true, accurate and complete.

Signed _____

Printed Name _____

Title _____

Date _____

Contact Phone Number _____

Email to - compliancereports@pinal.gov, or

Mail to - Pinal County Air Quality Control District
P.O. Box 987
Florence, AZ 85132